

10/645323

@PFDesktop\::ODMA/MHODMA/HBSR05;iManage;656423;1
TJM/KTS/mdm
October 16, 2006

PATENT APPLICATION
Attorney's Docket No.: 3349.1005-001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentees: Eugene A. Gregerson, Richard K. Grant and Norbert J. Johnson
Patent No.: 7,106,825 B2 Issued: September 12, 2006
Title: APPARATUS AND METHOD FOR RECONSTRUCTION OF VOLUMETRIC
IMAGES IN A DIVERGENT SCANNING COMPUTED TOMOGRAPHY
SYSTEM

CERTIFICATE OF MAILING	
I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450	
on <u>10/16/06</u>	<u>[Signature]</u>
Date	Signature
<u>Meredith Murray</u>	
Typed or printed name of person signing certificate	

REQUEST FOR CERTIFICATE OF CORRECTION

Office of Publications
Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Pursuant to 35 U.S.C. § 254, we hereby request a Certificate of Correction be issued for the above-referenced U.S. Letters Patent for the following reasons:

Column 7

Claim 1, line 48, delete "positions, on the gantry"
and insert --- positions on the gantry, ---

Column 10

Claim 26, line 10, delete "ewuiangular" and insert --- equiangular ---

Certificate
NOV 01 2006
of Correction

NOV - 2 2006

Since the errors were made by the U.S. Patent and Trademark Office and not by Patentees or Patentee's Attorney/Agent, it is understood that there are no additional fees for the requested Certificate of Correction. A Certificate of Correction is enclosed herewith.

Respectfully submitted,

HAMILTON, BROOK, SMITH & REYNOLDS, P.C.

By Kevin T. Shaughnessy
Kevin T. Shaughnessy
Registration No. 51,014
Telephone: (978) 341-0036
Facsimile: (978) 341-0136

Concord, MA 01742-9133

Dated: 10/16/06

NOV - 2 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,106,825 B2
DATED : September 12, 2006
INVENTOR(S) : Eugene A. Gregerson, Richard K. Grant and Norbert J. Johnson

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7

Claim 1, line 48, delete "positions, on the gantry"
and insert --- positions on the gantry, ---

Column 10

Claim 26, line 10, delete "ewuiangular" and insert --- equiangular ---

MAILING ADDRESS OF SENDER:

021005
Hamilton, Brook, Smith & Reynolds, P.C.
530 Virginia Road, P.O. Box 9133
Concord, Massachusetts 01742-9133

PATENT NO. 7,106,825 B2

No. of add'l copies
@ 50¢ per page

NOV - 2 2006 → -0-

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,106,825 B2
DATED : September 12, 2006
INVENTOR(S) : Eugene A. Gregerson, Richard K. Grant and Norbert J. Johnson

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7

Claim 1, line 48, delete "positions, on the gantry"
and insert --- positions on the gantry, ---

Column 10

Claim 26, line 10, delete "ewuiangular" and insert --- equiangular ---

MAILING ADDRESS OF SENDER:

021005
Hamilton, Brook, Smith & Reynolds, P.C.
530 Virginia Road, P.O. Box 9133
Concord, Massachusetts 01742-9133

PATENT NO. 7,106,825 B2

No. of add'l copies
@ 50¢ per page

➡ -0-

NOV - 2 2006